


REVISED
On : 07-08-2007

REVISION : G



Initial configuration of the machine at production time

DRIVE SECTION RD 150

Figure N°1

REV : G	PARTS LIST FIGURE N° 1 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
1	PTO	094-1004	1
2	HH SCREW M 12-35	850-2018	6
	WASHER W 12 , YZP	695-1019	6
3	CLUTCH NUTTED BOLT	4000-1022	6
4	CLUTCH SPRING	660-1004	6
5	BEARING 6305 2RS	690-1006	1
6	FRONT FLYWHEEL	800-1002	1
7	DOWEL PIN Ø6 - 40	340-1009	1
8	HEX NUT M 30 X 200	260-1007	1
9	CLUTCH PLATE	5150-257-1001	1
10	BEARING 6208 2RS	690-1005	1
11	REAR FLYWHEEL	800-1001	1
12	FIGURE N°2		
13	PAPER GASKET	415-1002	1
14	ELBOW UNION G 13-8X13	265-1002	1
15	HH SCREW M 12-35	850-2018	6
	HEX NUT M 12	260-1012	6
16	CHAIN TENSIONER	5150-730-1004	1
17	HH SCREW M 16-90	850-1020	1
	HEX NUT M 16	260-1008	1
18	SEALING RING Ø50/Ø72/10	400-1004	1
19	BEARING 6309	690-1003	1
20	SPACER BUSHING	139-1005	1
21	CHAIN SPROCKET 10T - 38.1 PITCH	600-1008	1
22	CIRCLIP 45 EXT.	190-1003	1
23	CORK SEAL	420-1002	1
24	FILLER CAP	155-1003	1
25	HH SCREW M 8-35	850-2020	14
	HEX NUT M 8	260-1010	14
26	CHAIN CASE	180-1003	1
27	SHOE	5150-710-1002	1
28	HH SCREW M 12-35	850-2018	1
	HEX NUT M 12	260-1012	1
29	HH SCREW M 12-70	850-2015	1
	HEX NUT M 12	260-1012	1
30	HEX HEAD PLUG G 3/8	155-1001	2
31	HH SCREW M 16-110	850-2010	1
	HEX NUT M 16	260-1015	1
32	CIRCLIP 50 EXT.	190-1004	1


REV : G	PARTS LIST FIGURE N° 1 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
33	CHAIN 38 LINKS - 38.1 PITCH	175-1002	1
34	CHAIN SPROCKET 16T - 38.1 PITCH	600-1007	1
35	SPACER BUSHING	139-1006	1
36	BEARING 6410	690-1009	1
37	SIMMERING SEAL 60/84-13/14.5	400-1031	1
38	SEE FIGURE N°1-a		
39	HSHC SCREW M 12 -35	850-3015	6
40	DRIVE PLATE	5150-630-1011	1
41	S BLADE	450-1005	6
42	ROTOR	5150-760-1020	1
43	BLADE BOLT	4000-002	96
44	RIGHT BLADE 90 X 8	450-1003	21
45	LEFT BLADE 90 X 8	450-1004	21
46	SEE FIGURE N°1-b		
47			
48			
49			
50			
51			
52			
53			
54			
55			
56	BLANKING CAP	156-1005	1
57	FLYWHEEL COVER	5150-640-1008	1
58	HH SCREW M 12-50	850-2012	4
	WASHER W12 , YZP	695-1019	4
	SOCKET	240-1031	4
59	FLYWHEEL COVER FRONT PLATE	640-1095	1
60	FLYWHEEL COVER LOCK	900-1002	2
61	RIVET Ø 4.8 - 10.5	697-1004	4
62	HOOK	900-1003	2
63	RIVET Ø 4.8 - 10.5	697-1004	4

LEFT SIDE DESIGN EVOLUTION - RD 150

Figure N° 1-a


*After sales
Please check the
machine configuration*

LEFT SIDE WITH WELDED BEARING HOUSING :



*Initial configuration of
the machine
at production time*

LEFT SIDE WITH SCREWED BEARING HOUSING :



**DAIRON
S.A.S**

Since 1958

DAIRON S.A.S. D92 Les Hunaudières
72230 MULSANNE
☎ 02 43 422 422 Fax. 02 43 422 000
E-mail. b-e@rotadairon.fr

REV : G	PARTS LIST FIGURE N° 1-a RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
INITIAL CONFIGURATION OF THE MACHINE AT PRODUCTION TIME			
38	LEFT SIDE HAVE TO BE REPLACED BY MACHINE EVOLUTION		


MACHINE EVOLUTION : SIDE WITH SCREWED BEARING HOUSING			
1	BEARING 6410	690-1009	1
2	SIMMERING SEAL 60/84-13/14.5	400-1031	1
3	HH SCREW M 14-30	850-2005	7
4	LEFT SIDE	5150-195-1103	1
5	PAPER GASKET	415-1017	1
6	SCREW-IN BEARING HOUSING	160-1037	1
7	HSHC SCREW M 12 -35	850-3015	6
8	DRIVE PLATE	5150-630-1011	1

RIGHT SIDE DESIGN EVOLUTION- RD 150

Figure N° 1-b


*After sales
Please check the
machine configuration*

RIGHT SIDE WITH WELDED BEARING HOUSING :



*Initial configuration of
the machine
at production time*

RIGHT SIDE WITH SCREWED BEARING HOUSING :



**DAIRON
S.A.S**

Since 1958

DAIRON S.A.S. D92 Les Hunaudières
72230 MULSANNE
☎ 02 43 422 422 Fax. 02 43 422 000
E-mail. b-e@rotadairon.fr

REV : G	PARTS LIST FIGURE N° 1-b RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
INITIAL CONFIGURATION OF THE MACHINE AT PRODUCTION TIME			
46	SMALL PLATE	5150-630-1003	1
47	HSHC SCREW M 12 - 30	850-3019	6
48	LIP SEAL 40 X 58 X 10 DL	400-1002	1
49	BEARING 22206	690-1017	1
50	CIRCLIP 62 INT.	190-1016	1
51	HSHC SCREW M 8 - 25	850-3003	3
52	HEX HEAD PLUG G 3/8	155-1001	1
53	CAP	178-1004	1
54	RIGHT SIDE HAVE TO BE REPLACED BY MACHINE EVOLUTION		
55	WASHER 30 * 40 * 2	695-1028	1


MACHINE EVOLUTION : SIDE WITH SCREWED BEARING HOUSING			
1	HH SCREW M 1 - 35	850-1018	6
	HEX NUT M 12	260-1012	6
2	CASSETTE SEAL TYPE 3 Ø45 X Ø70 X 14.5/17	400-1044	1
3	HEX HEAD PLUG G 3/8	155-1001	1
4	SMALL PLATE	630-1103	1
5	HH SCREW M 10 - 25	850-1011	5
	HEX NUT M 10	260-1011	5
6	RIGHT BEARING HOUSING	160-1031	1
7	RIGHT SIDE	5100-195-1102	1
8	BEARING 22206	690-1017	1
9	CIRCLIP 62 INT.	190-1016	1
10	CIRCLIP 30 EXT.	190-1002	1
11	PAPER GASKET Ø89 X Ø61	415-1015	1
12	END BELL	280-1123	1
13	BHCS SCREW M 8 - 20	850-3008	3

REVISED

On : 07-08-2007

REVISION : G

*Initial configuration of
the machine
at production time*



CASE SET RD 150

Figure N°2



**DAIRON
S.A.S.**

Since 1958

DAIRON S.A.S. D92 Les Hunaudières
72230 MULSANNE
☎ 02 43 422 422 Fax. 02 43 422 000
E-mail. Rotadairon@wanadoo.fr


REV : G	PARTS LIST FIGURE N° 2 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
1	INPUT SHAFT	5150-100-1003	1
2	FRONT COVER	178-1001	1
3	BEARING 30308	690-1014	1
4	CIRCLIP 45 EXT.	190-1003	1
5	BEVEL GEAR 23T	600-1006	1
6	BEARING 6312	690-1010	1
7	PAPER GASKET	415-1003	1
8	HH SCREW M 12-35	850-2018	6
	WASHER W 12 ,YZP	695-1019	6
9	SHAFT TUBE	5150-760-1035	1
10	OUTPUT SHAFT	100-1006	1
11	HEX HEAD PLUG G 1/2	155-1005	1
12	SPACER BUSHING	139-1007	1
13	BEARING 6406	690-1007	1
14	INPUT SHAFT WASHER	695-1046	1
15	CIRCLIP 30 EXT.	190-1002	1
16	PAPER GASKET	415-1008	1
17	BACK COVER	178-1005	1
18	HH SCREW M 12-35	850-2018	4
	WASHER W 12 ,YZP	695-1019	4
19	HH SCREW M 12-35	850-2018	6
	WASHER W 12 ,YZP	695-1019	6
20	TRANSFER CASE COVER	197-1001	1
21	PAPER GASKET	415-1003	1
22	DIPSTICK	390-1001	1
23	SNIFTER VALVE G 3/8	670-1004	1
24	TRANSFER CASE	180-1007	1
25	BEVEL GEAR 12T	600-1003	1
26	LIP SEAL 40, 62,10 DL	400-1003	1
27	PAPER GASKET	415-1008	1
28	HH SCREW M 12-35	850-2018	4
	WASHER W 12 ,YZP	695-1019	4

REVISED

On : 07-08-2007

REVISION : G

**Initial configuration of
the machine
at production time**



HOOD SECTION RD 150

Figure N°3



**DAIRON
S.A.S.**

Since 1958

DAIRON S.A.S. D92 Les Hunaudières
72230 MULSANNE
☎ 02 43 422 422 Fax. 02 43 422 000
E-mail. Rotadairon@wanadoo.fr


REV : G	PARTS LIST FIGURE N° 3 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
1	R-CLIP RETAINING PIN Ø4.5	340-1003	1
2	DOUBLE AXLE 19 X 25	120-1001	1
3	HH SCREW M 12-90	850-1021	2
	HEX NUT M12	260-1012	2
4	LEFT LIFT ARM	5150-760-G018	1
5	HH SCREW M 12-30	850-2016	4
	HEX NUT M12	260-1012	4
6	R-CLIP RETAINING PIN Ø6	340-1001	2
7	DOUBLE AXLE 22 X 28	120-1006	2
8	HH SCREW M 12-30	850-2016	2
	HEX NUT M12	260-1012	2
9	SPRING HANDLE	5075-620-1019	2
10	SPRING	660-1005	2
11	SIDE GUARD	5100-760-1205	2
12	HH SCREW M 12-35	850-2018	1
	HEX NUT M12	260-1012	1
13	SIDE GUARD	5100-760-1215	2
14	HH SCREW M 12-30	850-2016	2
	HEX NUT M12	260-1012	2
15	HH SCREW M 12-70	850-2015	2
	HEX NUT M12	260-1014	2
	HEX NUT M12	260-1012	2
16	HH SCREW M 12-30	850-2016	3
	HEX NUT M12	260-1012	3
17	HOOD	5150-770-1033	1
18	HH SCREW M 12-30	850-2016	6
	HEX NUT M 12	260-1012	6
19	HH SCREW M 12-35	850-2018	4
	WASHER W 12 YZP	695-1019	4
20	GRID HINGE	5100-240-1005	3
21	HH SCREW M 12-130	850-2013	3
	HEX NUT M12	260-1012	3
22	GRID PLATE	5150-770-1018	1
23	REAR FLAP	770-1019	1
24	HH SCREW M 10 -25	850-2003	3
	WASHER MU 10 YZP	695-1017	3
25	GRID CLAMP	150-1001	12

REV : G	PARTS LIST FIGURE N° 3 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
26	HSHC SCREW M 10 -30	850-3002	48
	HEX NUT M10	260-1011	48
27	HH SCREW M 12-80	850-2014	2
	HEX NUT M12	260-1014	2
28	GRID FINGER	210-1002	49
29	HH SCREW M 12-30	850-2016	3
	HEX NUT M12	260-1012	3
30	HH SCREW M 12-35	850-2018	1
	HEX NUT M12	260-1012	1
31	HH SCREW M 12-30	850-2016	3
	HEX NUT M12	260-1012	3
32	ARM BRACKET	5150-640-1006	2
33	HH SCREW M 12-30	850-2016	8
	HEX NUT M12	260-1012	8
34	RIGHT LIFT ARM	5150-760-D018	1
35	HH SCREW M 12-30	850-2016	4
	WASHER W 12 YZP	695-1019	4
36	HH SCREW M 10 -30	850-2002	1
	HEX NUT M 10	260-1011	1
37	LOCK PLATE STAND	620-1099	1
38	LOCK PLATE STAND CAP	156-1009	1
39	LOCK PLATE CLAW	3130-640-1300	1
40	RETAINING RING	190-1025	1
41	LOCK PLATE CLAW	640-1299	1
42	MAIN HITCH POINT	5150-750-1091	1

REVISED
On : 07-08-2007

REVISION : G

*Initial configuration of
the machine
at production time*



MD ROLLER FRAME RD 150

Figure N°4


REV : G	PARTS LIST FIGURE N° 4 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
1	CRANK	5036-640-1031	4
2	DOWEL PIN Ø6 X 25	340-1007	5
3	LINCH PIN Ø6	340-1005	5
4	CRANK HANDLE M 14	610-1001	5
5	HH SCREW M 14-30	850-2005	5
6	OILER M8	320-1001	4
7	ARM	5150-270-1011	2
8	HITCH PIN WITH HANDLE Ø19 X 115	151-1002	2
9	ARM BRACKET	5150-640-1006	2
10	LEVELLING BLADE SCREW	5100-850-1039	4
11	MD FRAME	5150-750-1021	1
12	CAP 70 X 70	156-1003	2
13	CAP 60 x 60	156-1002	2
14	CRANK	5150-640-1001	1
15	HH SCREW M 12-50	850-2012	2
	HEX NUT M 12	260-1014	2
	HEX NUT M 12	260-1012	2
16	SPRING	660-1005	2
17	HS HC SCREW M 12 -35	850-3031	2
	WASHER Ø13 / Ø42 / 4	695-1027	2
	HEX NUT M 12	260-1012	2
18	FRAME SCREW	5150-850-1041	1
19	TUBE MALE CRANK	5150-750-1024	1
20	LEVELLING BLADE	5150-450-1011	1
21	HH SCREW M 12-50	850-2012	2
	HEX NUT M 12	260-1014	2
	HEX NUT M 12	260-1012	2
22	SPRING HANDLE	5075-620-1019	2
23	MD SCRAPER	5150-725-1003	1
24	HH SCREW M 12-35	850-2018	2
	PIVOT SOCKET	240-1030	2
	WASHER Ø13 / Ø42 / 4	695-1027	2
	HEX NUT M 12	260-1012	2
25	HH SCREW M 12-35	850-2018	1
	WASHER Ø13 / Ø42 / 4	695-1027	1
	HEX NUT M 12	240-1031	1
26	MD ROLLER	5150-505-1005	1
27	CAST IRON BEARING HOUSING UCFL 206	690-1021	2

REV : G	PARTS LIST FIGURE N° 4 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
28	HH SCREW M 14 -35	850-2019	4
	HEX NUT M 14	260-1013	4
29	HSHC SCREW M 12 -20	850-3028	2
	HEX NUT M 12	260-1012	2
30	HH SCREW M 10 -25	850-2003	1
	WASHER W 10	695-1014	1

REVISED
On : 07-08-2007

REVISION : G

*Initial configuration of
the machine
at production time*



BRILLON ROLLER FRAME RD 150

Figure N°5



**DAIRON
S.A.S**
Since 1958

DAIRON S.A.S. D92 Les Hunaudières
72230 MULSANNE
☎ 02 43 422 422 Fax. 02 43 422 000
E-mail. Rotadairon@wanadoo.fr

REV : G	PARTS LIST FIGURE N° 5 RD 150 FROM 5603 WITH - 7518		07/08/2007
ITEM	DESIGNATION	PARTS REFERENCES	QTY
1	CRANK	5036-640-1031	4
2	DOWEL PIN Ø6 X 25	340-1007	4
3	LINCH PIN Ø6	340-1005	4
4	CRANK HANDLE M 14	610-1001	4
5	HH SCREW M 14-30	850-2005	4
6	OILER M8	320-1001	4
7	ARM	5150-270-1011	2
8	HITCH PIN WITH HANDLE Ø19 X 115	151-1002	2
9	ARM BRACKET	5150-640-1006	2
10	LEVELLING BLADE SCREW	5100-850-1039	4
11	BR ROLLER FRAME	5150-270-1144	1
12	PLASTIC CAP 70 x 70	156-1003	2
13	PLASTIC CAP 60 x 60	156-1002	2
14	HH SCREW M 12-35	850-2018	2
	PIVOT SOCKET	240-1030	2
	WASHER Ø13 / Ø42 / 4	695-1027	2
	HEX NUT M 12	260-1012	2
15	HH SCREW M 12-35	850-2018	2
	WASHER Ø13 / Ø42 / 4	695-1027	2
	HEX NUT M 12	260-1012	2
16	RHS SCREW SQUARE NECK M 10 - 80	850-2034	30
	HEX NUT M 10	260-1011	30
17	SCRAPER TOOTH	200-1001	30
18	BR SCRAPER	5150-750-1025	1
19	PLASTIC CAP 50 x 50	156-1001	2
20	LEVELLING BLADE	5150-450-1011	1
21	HH SCREW M 14-35	850-2019	4
	HEX NUT M 14	260-1013	4
22	CAST IRON BEARING HOUSING UCFL 206	690-1021	2
23	BR ROLLER Ø325	5150-760-1231	1
24	LOCKING RING Ø325	158-1002	29
25	1/2 CAST-IRON DISC Ø325	158-1004	2
26	ROLLER SPACER SLEEVE	158-1006	2
27	HSHC SCREW M 12 - 60	850-3017	2
	HEX NUT M 12	260-1012	2